## **Coversheet for Sample Unit**

**NABat Stationary Point Acoustic Monitoring** 

Refuge	Sample Unit		Surveyor
Country	State/Province		County (if applicable)
Date Deployed		Date Retrieved	
Sunset Day 1	Sunrise Day 4	_ Number of detectors	deployed
Photos submitted?	Mobile Transect Co	nducted (Y/N)	

Variable	Point A	Point B	Point C	Point D
Point Name				
Latitude (hddd.dddd)				
Longitude(hddd.dddd)				
Bat detector manufacturer	Pettersson D500x	Pettersson D500x	Pettersson D500x	
and model				
Microphone type	Pettersson D500x	Pettersson D500x	Pettersson D500x	
Recording mode	Full Spectrum	Full Spectrum	Full Spectrum	
Trigger window length	n/a	n/a	n/a	
Maximum file length	5 second	5 second	5 second	
Weatherproofing type	None	None	None	
Calibration method	n/a	n/a	n/a	
Microphone height (m)				
General Description of				
deployment <sup>1</sup>				
Significant weather				
events <sup>2</sup>				
Night 1				
Night 2				
Night 3				
Night 4				

NABat Sample Forms v1: 19 January 2016

## NABat – Acoustic Point Deployment Form

## USFWS, Region 1

(Tracking where each detector was placed, and where and when each bat file was collected is absolutely critical to this project. This form must be filled out completely for each deployment, and copy sent with the CF cards. Place all CF cards from a single deployment in a separate envelope with this form. Do not mix CF cards from different deployments)

Refuge:	Surveyor:			Sample Unit:			
Point ID (circle one): A	В	С	D	Point Name:			
Date Deployed: Date Retrieved:							
		FOR	FIELD DE	PLOYMENT			
Metatdata about the Point				Metadata about the Detector			
Latitude (ddmmss)				Detector ID			
Longitude (ddmmss)				Relative Timer ON			
*Dist to Clutter Class				Relative Timer OFF			
*Clutter category				CF Card – slot 1			
*Land Cover Class				CF Card – slot 2			
*Habitat Structure				CF Card – slot 3			
*Habitat Species				CF Card – slot 4			
*Feature Sampled				Input Gain <sup>1</sup>			
*Mic Height (m)				Trig Level <sup>2</sup>			
*Mic. Orientation							
			FOR ANA	ALYLIST			
File Prefix				Files on card			
Date recording started				Files Scrubbed			
Time recording started				Files Run			
Date recording stopped				SonoBat Version			
Time recording stopped				SonoBat Filter			
				Kaleidoscope Version			
				Kaleidoscope State			

Photographs taken?

Notes:

NABat Sample Forms v1: 19 January 2016

<sup>\*</sup>See back of page for definitions

<sup>&</sup>lt;sup>1</sup>INPUT GAIN on detector when set to record

<sup>&</sup>lt;sup>2</sup>TRIG LEV on detector when set to record

## **DEFINITIONS**

**Distance to clutter class:** <5m; 5m; 10m; 20m; 75m; 100m; >100m

**Clutter Category:** When looking through the clutter, estimate what proportion of the sky/landscape behind it is hidden, similar to estimating canopy cover of vegetation.

Use these broad categories: 0; 1-5%; 6-25%; 26-50%; 51-75%; 75-90%; >90%

Land classes (based on NLCD): Water; Residential; Bare Rock/Sand/Clay; Quarries/Gravel Pits; Deciduous Forest; Evergreen Forest; Mixed Forest; Shrubland; Non-natural Woody (orchards/Vineyards); Grasslands/Herbaceous; Herbaceous Agriculture; Woody Wetlands; Emergent Herbaceous Wetland

Habitat Structure: Tree/Shrub/Herb; Tree/Herb; Shrub/Herb; Herb; Other

Habitat Species: list the dominant species in each layer present above (eg. willow/cheatgrass)

**Feature Sampled:** Examples - Cattle water tank; pond; stream; marsh; wetland; forest road; forest trail; mature forest; wildlife opening; cliff; bridge; building; cave.

**Mic Orientation** (microphone is facing): North; South; East; West; Northeast; Northwest; Southwest

NABat Sample Forms v1: 19 January 2016